

COMPACT



803CD MP•LP ORBITAL / STRAIGHT SANDERS

DUST FREE
ORBITAL SANDER (SHORT TYPE)

| | |
|-------------------|-------------------------------|
| MODEL NO. | 803CD |
| SPEED | 9000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 5 mm |
| PAD SIZE | 93x178 98x175 |
| DIMENSION (W H L) | 93 87.5 288 |
| NOISE LEVEL | 89 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.27 kg |



ORBITAL SANDER (SHORT TYPE)



| | |
|-------------------|-------------------------------|
| MODEL NO. | 803CD |
| SPEED | 9000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 5 mm |
| PAD SIZE | 93x178 98x175 |
| DIMENSION (W H L) | 93 87.5 288 |
| NOISE LEVEL | 79 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.27 kg |

815CD MP

DUST FREE
ORBITAL SANDER (LONG TYPE)

| | |
|-------------------|-------------------------------|
| MODEL NO. | 815CD |
| SPEED | 9000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 5 mm |
| PAD SIZE | 73x238 |
| DIMENSION (W H L) | 73 87.5 309 |
| NOISE LEVEL | 89 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.27 kg |



ORBITAL SANDER (LONG TYPE)



| | |
|-------------------|-------------------------------|
| MODEL NO. | 815C |
| SPEED | 9000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 5 mm |
| PAD SIZE | 73x238 |
| DIMENSION (W H L) | 73 87.5 309 |
| NOISE LEVEL | 79 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.27 kg |

ORBITAL / STRAIGHT SANDERS

DUST FREE
STRAIGHT SANDER

| | |
|------------------|-------------------------------------|
| MODEL NO. | 8150D |
| SPEED | 7,000 Strokes/min (@0.6MPa,No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | Stroke 6 mm |
| PAD SIZE | 74x175 |
| DIMESION (W H L) | 74 87.5 288 |
| NOISE LEVEL | 90 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.4kg |



8150C MP•LP
STRAIGHT SANDER



| | |
|------------------|-------------------------------------|
| MODEL NO. | 8150C |
| SPEED | 7,000 Strokes/min (@0.6MPa,No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | Stroke 6 mm |
| PAD SIZE | 74x175 |
| DIMESION (W H L) | 74 87.5 288 |
| NOISE LEVEL | 90 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.4 kg |

935CD MP•LP D/A SANDERS / GEARED SANDERS

| | |
|------------------|------------------------------|
| MODEL NO. | 935D |
| SPEED | 10,000 (@0.6MPa,No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 250 |
| NOISE LEVEL | 89 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.0kg |



935C MP•LP
D/A SANDER



| | |
|------------------|------------------------------|
| MODEL NO. | 935C |
| SPEED | 10,000 (@0.6MPa,No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 250 |
| NOISE LEVEL | 78 dBA |
| AIR LET | G1/4" |
| WEIGHT | 1.0kg |

937CD MP•LP

DUST FREE
D/A SANDER

| | |
|-------------------|-------------------------------|
| MODEL NO. | 937CD |
| SPEED | 10,000 (@0.6MPa, No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA. | 7 mm |
| PAD SIZE | 123∅ |
| DIMENSION (W H L) | 123∅ 94 250 |
| NOISE LEVEL | 89 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 1.1kg |



| | | | |
|-------------------|-------------------------------|--------|---------|
| MODEL NO. | 937C | | |
| SPEED | 10,000 (@0.6MPa, No Load) | | |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) | | |
| AIR PRESSURE | 0.4-0.6 MPa | | |
| ORBIT DIA. | 7 mm | | |
| PAD SIZE | 123∅ | | |
| DIMENSION (W H L) | 40 40 192 | | |
| NOISE LEVEL | 87 dBA | | |
| AIR LET | Rc 1/4" | WEIGHT | 0.72 kg |
| WEIGHT | 0.72 kg | | |

130AS DIE GRINDER

DIE GRINDER

| | |
|-------------------|-------------------------------|
| MODEL NO. | 130AS |
| SPEED | 23,000 (@0.6MPa, No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 1/4" |
| DIMENSION (W H L) | 40 40 164 |
| NOISE LEVEL | 87 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 0.56 kg |



| | |
|-------------------|-------------------------------|
| MODEL NO. | 130FS |
| SPEED | 3,800 RPM (@0.6MPa, No Load) |
| AIR CONS. | 475ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 1/4" |
| DIMENSION (W H L) | 40 40 192 |
| NOISE LEVEL | 87 dBA |
| AIR LET | Rc 1/4" |
| WEIGHT | 0.72 kg |

MINI SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 125S |
| SPEED | 21,000 (@0.6MPa,No Load) |
| AIR CONS. | 360ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 1/4" |
| DIMESION (W H L) | 33 33 125 |
| NOISE LEVEL | 96 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 0.45 kg |



502N
ELIMINATOR



| | |
|------------------|-------------------------------------|
| MODEL NO. | 502N |
| SPEED | 2,400 Strokes/min (@0.6MPa,No Load) |
| AIR CONS. | 390ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 31∅ |
| DIMESION (W H L) | 38∅ 42 192 |
| NOISE LEVEL | 87 dBA |
| AIR LET | Rc 1/4" |
| WEIGHT | 0.6 kg |

LOWSPEED
ANGLE SANDER/POLISHER

| | |
|------------------|------------------------------|
| MODEL NO. | mini sander |
| SPEED | 2,200 (@0.6MPa,No Load) |
| AIR CONS. | 500ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 96 240 |
| NOISE LEVEL | 87 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.2 kg |



2100R

3/8" REVERSIBLE DRILL



| | |
|------------------|------------------------------|
| MODEL NO. | 2100R |
| SPEED | 2,000RPM (@0.6MPa,No Load) |
| AIR CONS. | 560ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 3/8" |
| DIMESION (W H L) | 42 140 188 |
| NOISE LEVEL | 86 dBA |
| AIR LET | Rc 1/4" |
| WEIGHT | 1.13 kg |

303

1/2" IMPACT WRENCH COMPOSITE BODY

| | |
|-------------------|-------------------------------|
| MODEL NO. | 303 |
| SPEED | 6,000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 800ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| SPINDLE SIZE | 1/2" (BOLT CAPACITY 16mm) |
| DIMENSION (W H L) | 71 189 185 |
| NOISE LEVEL | 86 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 2.1 kg |



813 MP•LP ORBITAL SANDERS / STRAIGHT SANDERS



| | |
|-------------------|-------------------------------|
| MODEL NO. | 813 |
| SPEED | 9,000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 260ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.4-0.5 MPa |
| ORBIT DIA | 3 mm |
| PAD SIZE | 73x98 |
| DIMENSION (W H L) | 71 189 185 |
| NOISE LEVEL | 88 dBA |
| AIR LET | GC 1/4" |
| WEIGHT | 0.8 kg |

905A4 MP•LP

D/A SANDER

| | |
|-------------------|-------------------------------|
| MODEL NO. | 905A4 |
| SPEED | 10,000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 10 mm |
| PAD SIZE | 123∅ |
| DIMENSION (W H L) | 123∅ 119 241 |
| NOISE LEVEL | 89 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.6 kg |



DUST FREE D/A SANDER

| | |
|-------------------|-------------------------------|
| MODEL NO. | 905A4D |
| SPEED | 10,000 RPM (@0.6MPa, No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa, No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 10 mm |
| PAD SIZE | 123∅ |
| DIMENSION (W H L) | 123∅ 119 225 |
| NOISE LEVEL | 87 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.6 kg |

905B4D MP•LP

DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 905B4D |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 10 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 122 242 |
| NOISE LEVEL | 85 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.9 kg |



905B4D-6 MP•LP

DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 905B4D-6 |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 10 mm |
| PAD SIZE | 148∅ |
| DIMESION (W H L) | 148∅ 122 254 |
| NOISE LEVEL | 85 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 2.0 kg |



914B2 MP•LP

D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 914B2 |
| SPEED | 8,500 RPM (@0.6MPa,No Load) |
| AIR CONS. | 380ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 158 |
| NOISE LEVEL | 78 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.93 kg |



914B2D MP•LP

DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 914B2D |
| SPEED | 9,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 380ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 158 |
| NOISE LEVEL | 85 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.95 kg |



945A4 MP•LP

DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 945A4 |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 7 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 119 187 |
| NOISE LEVEL | 89 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.6 kg |



DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 915A4D |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 7 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 119 224 |
| NOISE LEVEL | 85 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.6 kg |

913B MP•LP

D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 913B |
| SPEED | 9,500 RPM (@0.6MPa,No Load) |
| AIR CONS. | 260ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 155 |
| NOISE LEVEL | 80 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.9 kg |



| | |
|------------------|------------------------------|
| MODEL NO. | 914L |
| SPEED | 9,500 RPM (@0.6MPa,No Load) |
| AIR CONS. | 380ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 158 |
| NOISE LEVEL | 78 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.86 kg |

915AN MP•LP

D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 915AN |
| SPEED | 9,500 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 7 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 115 242 |
| NOISE LEVEL | 82 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.4 kg |



942 MP•LP

MINI D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 942 |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 340ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 3 mm |
| PAD SIZE | 45∅ |
| DIMESION (W H L) | 45∅ 103 194 |
| NOISE LEVEL | 82dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.7 kg |

945A4 MP•LP

D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 945A4 |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 106 187 |
| NOISE LEVEL | 89 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.4 kg |



945A4D MP•LP

D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 945A4D |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 106 171 |
| NOISE LEVEL | 86 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.4 kg |



945AGS MP•LP

DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 945AGS |
| SPEED | 750 RPM (@0.6MPa,No Load) |
| AIR CONS. | 450ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 4.5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 115 177 |
| NOISE LEVEL | 83 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.4 kg |



DUST FREE D/A SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 915A4D |
| SPEED | 9,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 380ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 95 158 |
| NOISE LEVEL | 90 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 1.0 kg |



813W MP

WATER FEED

| | |
|------------------|------------------------------|
| MODEL NO. | 813W |
| SPEED | 7,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 260ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 3 mm |
| PAD SIZE | 73x98 |
| DIMESION (W H L) | 73 71 145 |
| NOISE LEVEL | 88 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.8 kg |



| | |
|------------------|------------------------------|
| MODEL NO. | 873W-5 |
| SPEED | 7,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 260ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 3 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 71 159 |
| NOISE LEVEL | 82 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.95 kg |

913W-5 MP

WATER FEED

| | |
|------------------|------------------------------|
| MODEL NO. | 913W-5 |
| SPEED | 9,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 260ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | 5 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 90 155 |
| NOISE LEVEL | 80 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.9 kg |



905A4W MP

WATER FEED

| | |
|------------------|------------------------------|
| MODEL NO. | 905A4W |
| SPEED | 10,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 10 mm |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 123∅ 119 297 |
| NOISE LEVEL | 83 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 1.6 kg |

905A4P MP

WATER FEED

| | |
|------------------|------------------------------|
| MODEL NO. | 905A4P |
| SPEED | 6,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 300ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | 7 mm |
| PAD SIZE | 148∅ |
| DIMESION (W H L) | 148∅ 110 271 |
| NOISE LEVEL | 82 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 1.7 kg |



212A


BELT SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 212A |
| SPEED | 13,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | |
| PAD SIZE | 10x330 12x330 |
| DIMESION (W H L) | 92 55 310 |
| NOISE LEVEL | 92 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 0.9 kg |



BELT SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 220 |
| SPEED | 12,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 400ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | |
| PAD SIZE | 20x520 |
| DIMESION (W H L) | 103 80 370 |
| NOISE LEVEL | 90 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.4 kg |



440

MINI SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 440 |
| SPEED | 16,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 340ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | |
| PAD SIZE | 45∅ 72∅ |
| DIMESION (W H L) | 72∅ 103 194 |
| NOISE LEVEL | 82 dBA |
| AIR LET | G 1/4" |
| WEIGHT | 0.7 kg |



MINI SANDER

| | |
|------------------|------------------------------|
| MODEL NO. | 424A |
| SPEED | 13,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 450ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | |
| PAD SIZE | 100∅ |
| DIMESION (W H L) | 100∅ 100 204 |
| NOISE LEVEL | 89 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 0.9 kg |



POLISHER

| | |
|------------------|------------------------------|
| MODEL NO. | 450P-L |
| SPEED | 5,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 350ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | |
| PAD SIZE | 45∅ 72∅ |
| DIMESION (W H L) | 72∅ 72 200 |
| NOISE LEVEL | 82 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 0.9 kg |



505N
POLISHER

| | |
|------------------|--|
| MODEL NO. | 505N |
| SPEED | 15,000 RPM Strokes/min (@0.6MPa,No Load) |
| AIR CONS. | 380ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.4-0.6 MPa |
| ORBIT DIA | Stroke 5" |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 45∅ 68 1954 |
| NOISE LEVEL | 89 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 0.71 kg |



POLISHER

| | |
|------------------|------------------------------|
| MODEL NO. | 715A2 |
| SPEED | 3,000 RPM (@0.6MPa,No Load) |
| AIR CONS. | 450ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | |
| PAD SIZE | 123∅ |
| DIMESION (W H L) | 205 153 208 |
| NOISE LEVEL | 82 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.2 kg |



717A2
POLISHER

| | |
|------------------|------------------------------|
| MODEL NO. | 717A2 |
| SPEED | 4,500 RPM (@0.6MPa,No Load) |
| AIR CONS. | 550ℓ / min (@0.6MPa,No Load) |
| AIR PRESSURE | 0.5-0.7 MPa |
| ORBIT DIA | |
| PAD SIZE | 180∅ |
| DIMESION (W H L) | 198 196 238 |
| NOISE LEVEL | 83 dBA |
| AIR LET | RC 1/4" |
| WEIGHT | 1.9 kg |



OPTION (Bufs and pads are available on various job demand)



ITEM No. 22241
45 ϕ MP
(5/16",24UNF)



ITEM No. 22066
URETHANE BUFF
20x50



ITEM No. 220672
URETHANE BUFF
20x80 (Fine)



ITEM No. 22055
72 ϕ MP
(5/16",24UNF)



ITEM No. 220671
URETHANE BUFF
20x80 (Yellow)



ITEM No. 21024
URETHANE BUFF
30x150x30 (Fine)



ITEM No. 21020
SOFT PAD(M) 123 ϕ
(5/16",24-UNF)



ITEM No. 21023
URETHANE BUFF
30x150x30 (Yellow)



ITEM No. 213382
URETHANE BUFF
30x185x50 (Fine)



ITEM No. 213351
PAD 123 ϕ
(M16)
ITEM No. 213352
PAD 123 ϕ
(W5/8")



ITEM No. 213381
URETHANE BUFF
30x185x50



ITEM No. 21025
WOOL TAPER BUFF
10x150x30 (Black)



ITEM No. 213361
PAD 148 ϕ
(M16)
ITEM No. 213362
PAD 148 ϕ
(W5/8")



ITEM No. 22068
WOOL BUFF
15x80



ITEM No. 213371
WOOL TAPER BUFF
15x175x50 (Black)



ITEM No. 22064
WOOL DISC
5x50



ITEM No. 21022
WOOL BUFF
20x150x30 (Yellow)



ITEM No. 22065
WOOL DISC
5x80



ITEM No. 21337
WOOL BUFF
20x175x80 (Yellow)



ITEM No. 21828
SLICKREMOVERBUFF (5pcs)
75x100x10 (Yellow)



ITEM No. 21829
CAOTING BUFF (5pcs)
75x100x5 (Black)



TMP-A (Black) 5x11



MP (Hook-Loop Pad)



LP (PSA PAD)

DISC PAD (Non-Vacuuming)

| ITEM NO. | ITEM | SIZE |
|----------|---------------------|-------------------------|
| 28867LA | LP-T | 5x10 |
| 28867MA | MP-T | 5x10 |
| 28868LA | LP-F (Black) | 5x8 |
| 218721A | TMP-A (Yellow•Soft) | 5x11 |
| 28869LA | TLP-A (Brown) | 5x11 |
| 28869MA | TMP-A (Black) | 5x11 |
| 28866LA | TLP-A (White) | 5x15 |
| 28866MA | TMP-A (White) | 5x15 |
| 28872LA | TLP-A (Brown) | 6x10 |
| 28872MA | TMP-A (Black) | 6x10 |
| 288722MA | TMP-A | 143x10 |
| 40963A | 97ø PAD | 450PL•715A•505 and more |
| 20956LA | LP PAD | 4x8 |
| 20956MA | MP PAD | 4x8 |



505 123ø MP (Aluminum)



PAD 28øLP

| ITEM NO. | ITEM | SIZE |
|----------|------------------------------|----------|
| 216541LA | TLP-AM 123x10 | 914B |
| 216541MA | TMP-AM 123x10 | 914B |
| 216551LA | TLP-DM 123x10 | 914BD |
| 216551MA | TMP-DM 123x10 | 914BD |
| 22967DA | 935GS MP PAD 5 | 935GS |
| 22967LA | 935GS LP PAD 5 | 935GS |
| 22966DA | 935GS MP PAD4 | 934GS |
| 22714MA | 945AGS MP PAD | 945AGS |
| 22714LA | 945AGS LP PAD | 945AGS |
| 40961A | 505 123ø MP (Aluminum) | 505•505N |
| A2001 | W/45ø PAD (Locking Type Pad) | 125S•440 |
| A2002 | W/72ø PAD (Locking Type Pad) | 125S•440 |
| A2003 | W/45ø PAD | 125S•440 |
| A2004 | W/72ø PAD | 125S•440 |
| 22662A | PAD PLATE assy | 814RD |
| 60805LA | PAD 28øLP | 502•502N |
| 60735A | 31øLP | 502•502N |
| 40962AA | APAD | 502•502N |
| 40963AA | B PAD | 502•502N |
| 40964A | E PAD | 502•502N |
| 40965A | L PAD | 502•502N |
| 22977A | 935GP MP PAD | 935GP |
| 262002A | 148ø HOOK-LOOP DISC | 905A4P |



MULTI-MINI ROUND PAD




MULTI-MINI RECTANGULAR PAD

OEM PAD • ACCESSORIES

| ITEM NO. | ITEM | SIZE |
|----------|-----------------------------|----------------|
| 22413A | 3M MULTI-MINI ROUND PAD | 5306 100 4hole |
| 22414A | 3MMULTI-MINI RECTANGULARPAD | 5306 5hole |



TMP-D (Black) 5x11



MP (Hook-Loop Pad)



LP (PSA PAD)

DISC PAD

| ITEM NO. | ITEM | SIZE |
|-----------|---------------------|------------|
| 28831 DLA | LP | 5x10 |
| 28831DMA | MP | 5x10 |
| 21872A | TMP-D (Yellow•Soft) | 5x11 |
| 28869DLA | TLP-D (Brown) | 5x11 |
| 28869DMA | TMP-D (Black) | 5x11 |
| 288721DLA | TLP-D (Brown) | 6x10 6hole |
| 288721DMA | TMP-D (Black) | 6x10 6hole |
| 28872DLA | TLP-D (Brown) | 6x10 9hole |
| 28872DMA | TMP-D (Black) | 6x10 9hole |



123øx10 INTERFALE PAD



73x105x10 CUSHION PAD

CUSHION PAD

| ITEM NO. | ITEM | SIZE |
|----------|----------------------|--------------------------|
| 22339 | 98øx5 CUSHIONPAD | 505•715A•DA SANDER |
| 288761 | 123øx5 CUSHIONPAD | DA SANDER |
| 288762 | 123øx10 CUSHIONPAD | DA SANDER |
| 288731 | 148øx5 CUSHIONPAD | DA SANDER |
| 288732 | 148øx15 CUSHIONPAD | DA SANDER |
| 220702 | 45øx10 CUSHIONPAD | 942•450PL and more |
| 220701 | 75øx10 CUSHIONPAD | 942•450PL and more |
| 220801 | 73x105x5 CUSHIONPAD | 813•813W and more |
| 22032 | 73x105x10 CUSHIONPAD | 813•813W and more |
| 22651 | 73x155x5 CUSHIONPAD | 814•814ED•8140D and more |
| 22881 | 70x150x10 CUSHIONPAD | 814•814ED•8140D and more |



A PAD




B PAD


OEM PAD • ACCESSORIES

| ITEM NO. | ITEM | SIZE |
|-----------|-----------------------|----------------------|
| 22334A | TMP-D 4x5 | FOR 974BD |
| 22714LA | 905AGS LP PAD | 5x10 |
| 22714MA | 905AGS MP PAD | 5x10 |
| TB306073A | 905GS MP PAD | 150ø |
| 21957A | DRY WAVE MPPAD | 123ø |
| T8705111A | A PAD | For 840 |
| T8705112A | B PAD | For 840 |
| T8705171A | C PAD | For 840 |
| T870520A | D PAD SET | For 840 |
| T870523A | E PAD | For 840 |
| T870521A | L PAD | For 840 |
| T870518 | SCRAPER (Small) | For 840 |
| T8705181 | SCRAPER (Big) | For 840 |
| UH19A | 19ø DUCT HOSE SET | For 975BD |
| UH25A | 25ø DUCT HOSE SET | 905DS FLAT CUTTER II |
| 22967LA | FLAT CUTTER IILPPAD 5 | For FLAT CUTTER II |
| 22967DA | FLAT CUTTER IILPPAD 5 | For FLAT CUTTER II |
| 22966DA | FLAT CUTTER IILPPAD 4 | For FLAT CUTTER II |

COMPACT




813 MP PAD



8034B MP PAD

ORBITAL SANDER PAD

| ITEM No. | ITEM | SIZE |
|----------|-------------------------------|-----------------------------|
| 20404LA | 818B4D L P PAD | 93×330 Dust Free W/20 hole |
| 20404MA | 818B4D MP PAD | 93×330 Dust Free W/20 hole |
| 298172LA | 812B4D L P PAD | 112×220 Dust Free W/15 hole |
| 298172MA | 812B4D MP PAD | 112×220 Dust Free W/15 hole |
| 201051LA | 803B4D L P PAD | 93×176 Dust Free W/12 hole |
| 201051MA | 803B4D MP PAD | 93×176 12 hole(DUST FREE) |
| 294062LA | 820A4D L P PAD | 93×400 27 hole |
| 294062MA | 820A4D MP PAD | 93×400 27 hole |
| 29024LA | 812A4D L P PAD | 112×220 15 hole |
| 29024MA | 812A4D MP PAD | 112×220 15 hole |
| 29108LA | 803A4D L P PAD | 93×176 8 hole |
| 29108MA | 803A4D MP PAD | 93×176 8 hole |
| 29027LA | 812A4(AW)L P PAD | 112×220 4 hole |
| 29027MA | 812A4(AW)MP PAD | 112×220 4 hole |
| 29107BLA | 803A4 L P PAD | 93×176 4 hole |
| 29107BMA | 803A4 MP PAD | 93×176 4 hole |
| 226094LA | 814B2D L P PAD | 73×145 11 hole |
| 226094MA | 814B2D MP PAD | 73×145 11 hole |
| 226093LA | 814B2 L P PAD | 73×145 8 hole |
| 226093MA | 814B2 MP PAD | 73×145 8 hole |
| 20847A | 873W-5 MP PAD | 123∅ 8 hole |
| 208471A | 873BDL-5 MP PAD | 123∅ 8 hole |
| 22627A | 8140D MP PAD | 74×150 17 hole |
| 25511LA | 8200 L P PAD | 73×330 8 hole |
| 25511MA | 8200 MP PAD | 73×330 8 hole |
| 21419MA | 8200D MP PAD | 93×330 14 hole |
| 201052LA | 803B4D L P PAD(HJ hole) | 100×180 12 hole |
| 201052MA | 803B4D MP PAD(HJ hole) | 100×180 12 hole |
| 294063LA | 820A4 L P PAD | 93×400 14 hole |
| 294063MA | 820A4 MP PAD | 93×400 14 hole |
| 22914LA | 803C / 803CD L P PAD(HC hole) | 93×176 |
| 22914MA | 803C / 803CD MP PAD(HC hole) | 93×176 |
| 229141LA | 803C / 803CD L P PAD(HJ hole) | 100×180 |
| 229141MA | 803C / 803CD MP PAD(HJ hole) | 100×180 |
| 22913MA | 815C / 815CD MP PAD | 74×238 |
| 22913LA | 815C L P PAD | 74×238 |
| 22652MA | 8150C / 8150D MP PAD | 74×175 |
| 22652LA | 8150C L P PAD | 74×175 |
| 208132LA | 813 L P PAD | 73×98 4 hole |
| 208132MA | 813 MP PAD | 73×98 4 hole |
| 208601MA | 813W MP PAD | 73×98 4 hole |



873W MP PAD



19Ø DUCT HOSE SET FOR 873BDL



SPONGE PAD 5/16



150Ø VELCRO DAZZLING BUFF

OEM PAD • ACCESSORIES

| ITEM No. | ITEM | SIZE |
|----------|----------------------|---------------|
| 208601MA | 873W MP PAD | 73×98 4 hole |
| 20845A | 873WL MP PAD | 73×145 9 hole |
| 208132LA | 873BL L P PAD | 73×98 4 hole |
| 208132MA | 873BDL MP PAD | 73×98 4 hole |
| 22507A | 8730 MP PAD | 80×108 8 hole |
| 208291LA | 873BLL L P PAD | 73×145 9 hole |
| 208291MA | 873BLL MP PAD | 73×145 9 hole |
| 22508 | For 8730 CUSHION PAD | 83×115×5 |
| UH19B | 19Ø DUCT HOSE SET | For 873BDL |

BUFF•REGULARPAD

| ITEM No. | ITEM | SIZE |
|----------|------------------------------|---------------------|
| 21026A | SPONGE PAD 5/16 | 715A2•725•C-150 etc |
| 21339A | SPONGE PAD M16 | C-150•C-201 etc |
| 25357A | SPONGE PAD 5/8 | 717A |
| 22069 | 100Ø HOOK-LOOP DAZZLING BUFF | 715A2•725•C-150 |
| 21028 | 150Ø HOOK-LOOP DAZZLING BUFF | 715A2•725•C-150 |
| 25356 | 190Ø DAZZLING BUFF | 717A etc |
| 288671CA | CP PAD | 5×8 |



NYLON BRUSH #240



AIR TOOL OIL 60A-200

SANDER ACCESSORIES

| ITEM No. | ITEM | SIZE |
|----------|-----------------------------|--------------------------|
| A4011A | STRIPE ERASER ER-90 | 715A • 450PL • C-150 etc |
| A4008 | NYLON BRUSH # 60 | 715A • 450PL • C-150 etc |
| A4009 | NYLON BRUSH # 240 | 715A • 450PL • C-150 etc |
| A4010 | NYLON BRUSH # 320 | 715A • 450PL • C-150 etc |
| A4019 | 6Ø ARBOR BRUSH # 240 | 130FB • 130FS etc |
| A940231 | PAPER DUST BAG (5pcs) | FOR DUST FREE SANDER |
| A94021 | FABRIC DUST BAG | FOR DUST FREE SANDER |
| UH19A | 19Ø DUCT HOSE SET | 814BD • 914BD etc |
| DH25A | 25Ø DUCT HOSE SET for BD | 803 • 812 • 905BD etc |
| UH25A | 25Ø DUCT HOSE SET for CD | 803 • 812 • 935CD etc |
| LH32CA | 32Ø DUCT HOSE SET 2.0m | FOR VACUUM UNIT |
| UH32CA | For AD DUCT HOSE SET 1.5m | 905 • 915 • 945AD etc |
| UH32DA | For AD DUCT HOSE SET 2.0m | 803AD • 945AGS |
| A4020 | SAW BLADE 24T | 601 • 602 |
| A4021 | SAW BLADE 32T | 601 • 602 |
| A1002 | SAW BLADE (5pcs) 24T | 601 • 602 |
| A1003 | SAW BLADE (5pcs) 32T | 601 • 602 |
| A0002 | AIR TOOL OIL 60A-200 | |
| A0003 | AIR TOOL OIL 60A-1000 | |
| A4025 | FILE for AIR SAW (Round) | 601 |
| A4026 | FILE for AIR SAW (Flat) | 601 |
| A4027 | FILE for AIR SAW (3 Square) | 601 |
| 40523 | ROUND BRUSH | FOR VACUUM UNIT |
| 40521 | NOZZLE | FOR VACUUM UNIT |
| A3008 | CONPOUND 002 | |
| J00020 | AIR REGULATOR | SANDER |
| 226008A | DUCT HOSE & BAG SET | FOR 914L |

